



File E213986

Vol. 1

Issued: 12-27-00

FOLLOW - UP SERVICE PROCEDURE
(TYPE R)

INFORMATION TECHNOLOGY EQUIPMENT, INCLUDING
ELECTRICAL BUSINESS EQUIPMENT
(NWGQ, NWGQ7)

Manufacturer: DARIM VISION CO LTD
(981286-001) TAEJON EXPO VENTURE VISUAL TECH BLDG
3-1 DORYONG-DONG
YUSUNG-KU
TAEJON KOREA

Applicant: SAME AS MANUFACTURER
(981286-001)

Listee: SAME AS MANUFACTURER
(981286-001)

This Procedure authorizes the above Manufacturer to use the marking specified by Underwriters Laboratories Inc. only on products covered by this Procedure, in accordance with the applicable Follow-Up Service Agreement.

The Prescribed Mark or Marking shall be used only at the above manufacturing location on such products which comply with this Procedure and any other applicable requirements.

The Procedure contains information for the use of the above named Manufacturer and the representatives of Underwriters Laboratories Inc. and is not to be used for any other purpose. It is lent to the Manufacturer with the understanding that it is not to be copied, either wholly or in part, and that it will be returned to Underwriters Laboratories Inc. upon request.

This PROCEDURE, and any subsequent revision, is the property of UNDERWRITERS LABORATORIES INC. and is not transferable.

UNDERWRITERS LABORATORIES INC.

A handwritten signature in cursive script, appearing to read 'J. J. Ritchie', is positioned above the printed name and title.

J. J. Ritchie
Vice President
Laboratory Management and Operations

(FILE IMMEDIATELY AFTER AUTHORIZATION PAGE)

LISTING MARK

The Listing Mark consists of four elements placed in close proximity and shall appear on Listed products only. Minimum size is not specified, as long as the Listing Mark is legible. The following is suggested.



XXXX = The control number assigned by UL or Applicant/Listee's File Number <47ZJ>.

The minimum height of the registered trademark symbol ® shall be 3/64 of an inch. When the overall diameter of the UL Mark is less than 3/8 of an inch, the trademark symbol may be omitted if it is not legible to the naked eye.

The product identity is: "UL 1950", "INFORMATION TECHNOLOGY EQUIPMENT", "INFO. TECH. EQUIP.", or "I.T.E.". In addition, the name or the specific type of product as shown on the individual Listing (i.e. "ADDING MACHINE", "CALCULATOR", "PRINTER", "PERSONAL COMPUTER", etc. may also be noted).

The product identity may be omitted if the Mark is directly and permanently applied to the product by stamping, molding, ink-stamping, silk screening or similar process. The product identity may appear elsewhere on the product if the other three elements are part of the nameplate which includes the rating or the catalog or model designation.

Separable Listing Mark (not part of a nameplate and in the form of decals, stickers or labels) will always include the four elements.

For LISTED INTERCONNECTING CABLE ASSEMBLES which are described in separate sections of this Procedure, the Listing Mark may be part of the required marking (manufacturer's name and type designation) and may appear at each end of the assembly.

The word ACCESSORY or CONVERSION must be provided as part of the Listing Mark in conjunction with the PRODUCT IDENTITY for all field-installed Accessory or Conversion Units/Kits as covered in the individual Listing of this Procedure.

The manufacturer may reproduce the Mark or obtain it from a UL authorized supplier.

THIS PAGE IS TO BE REVISED BY FUS DEPARTMENT ONLY

(FILE IMMEDIATELY AFTER AUTHORIZATION PAGE)

LISTING MARK

The Listing Mark consists of four elements placed in close proximity and shall appear on Listed products only. Minimum size is not specified, as long as the Listing Mark is legible. The following is suggested. (If only Canadian coverage is authorized, use only the C-UL Symbol).

UL Symbol to the left and the C-UL Symbol to the right.



Alternatively, the with "C" to the left and "US" to the right.

Canadian/US Mark may be used. The UL Symbol



XXXX = The control number

assigned by UL or Applicant/Listee's File Number <47ZJ>

The minimum height of the registered trademark symbol ® shall be 3/64 of an inch. When the overall diameter of the UL Mark is less than 3/8 of an inch, the trademark symbol may be omitted if it is not legible to the naked eye.

The product identity is: "UL 1950", "INFORMATION TECHNOLOGY EQUIPMENT", "INFO. TECH. EQUIP.", or "I.T.E.". In addition, the name or the specific type of product as shown on the individual Listing (i.e. "ADDING MACHINE", "CALCULATOR", "PRINTER", "PERSONAL COMPUTER", etc. may also be noted.

The product identity may be omitted if the Mark is directly and permanently applied to the product by stamping, molding, ink-stamping, silk screening or similar process. The product identity may appear elsewhere on the product if the other three elements are part of the nameplate which includes the rating or the catalog or model designation.

Separable Listing Mark (not part of a nameplate and in the form of decals, stickers or labels) will always include the four elements.

THIS PAGE IS TO BE REVISED BY FUS DEPARTMENT ONLY

(FILE IMMEDIATELY AFTER AUTHORIZATION PAGE)

For LISTED INTERCONNECTING CABLE ASSEMBLES which are described in separate sections of this Procedure, the Listing Mark may be part of the required marking (manufacturer's name and type designation) and may appear at each end of the assembly.

The word ACCESSORY or CONVERSION must be provided as part of the Listing Mark in conjunction with the PRODUCT IDENTITY for all field-installed Accessory or Conversion Units/Kits as covered in the individual Listing of this Procedure.

The manufacturer may reproduce the Mark or obtain it from a UL authorized supplier.

THIS PAGE IS TO BE REVISED BY FUS DEPARTMENT ONLY

INDEX

<u>Product / Model Numbers</u>	<u>Section</u>	<u>Requirements Evaluated to (US and/or CN)</u>
Digital Video Recording System / DVSM-32, DVSM-24, DVSM-16, DVSM-08, LDVS-32, LDVS-24, LDVS-16, LDVS-08	1	US & CN